

**Charles Bush-Joseph, M.D.**  
**Travis R. Smith PA-C**  
**Midwest Orthopaedics at RUSH**  
**1611 W Harrison, Suite #300**  
**Chicago, IL 60612**  
**312-432-2345**



### **Physical Therapy Prescription**

Patient  
Name: \_\_\_\_\_ Date: \_\_\_\_\_

Diagnosis: Right/Left hip arthroscopic/open gluteus medius repair

Date of Surgery: \_\_\_\_\_

Evaluate and Treat  
Provide patient with home exercise program

#### Weeks 1-2

- ◆ Bike for 20 minutes/day (can be 2x/day)
- ◆ Scar massage
- ◆ Hip PROM
  - Hip flexion to 90 degrees, abduction as tolerated
  - No active abduction and IR
  - No passive ER or adduction (6 weeks)
- ◆ Quadruped rocking for hip flexion
- ◆ Gait training PWB with assistive device
- ◆ Hip isometrics –
  - Extension, adduction, ER at 2 weeks
- ◆ Hamstring isotonic
- ◆ Pelvic tilts
- ◆ NMES to quads with SAQ

#### Weeks 4-6

- ◆ Continue with previous therex
- ◆ Gait training PWB with assistive device
  - 20 pounds through 6 weeks
- ◆ Progress with passive hip flexion greater than 90 degrees
- ◆ Supine bridges
- ◆ Isotonic adduction
- ◆ Progress core strengthening (avoid hip flexor tendonitis)
- ◆ Progress with hip strengthening
  - Start isometric sub max pain free hip flexion(3-4 wks)
- ◆ Quadriceps strengthening
- ◆ Aqua therapy in low end of water

#### Weeks 6-8



- ◆ Continue with previous therex
- ◆ Gait training: increase WBing to 100% by 8 weeks with crutches
- ◆ Progress with ROM
  - Passive hip ER/IR
- ◆ Supine log rolling → Stool rotation → Standing on BAPS
  - Hip Joint mobs with mobilization belt (if needed)
- ◆ Lateral and inferior with rotation
  - Prone posterior-anterior glides with rotation
- ◆ Progress core strengthening (avoid hip flexor tendonitis)

#### Weeks 8-10

- ◆ Continue previous therex
- ◆ Wean off crutches (2 → 1 → 0)
- ◆ Progressive hip ROM
- ◆ Progress strengthening LE
- ◆ Hip isometrics for abduction and progress to isotonic
- ◆ Leg press (bilateral LE)
- ◆ Isokinetics: knee flexion/extension
- ◆ Progress core strengthening
- ◆ Begin proprioception/balance
- ◆ Balance board and single leg stance
- ◆ Bilateral cable column rotations
- ◆ Elliptical

#### Weeks 10-12

- ◆ Continue with previous therex
- ◆ Progressive hip ROM
- ◆ Progressive LE and core strengthening
- ◆ Hip PREs and hip machine
- ◆ Unilateral Leg press
- ◆ Unilateral cable column rotations
- ◆ Hip Hiking
- ◆ Step downs
- ◆ Hip flexor, glute/piriformis, and It-band Stretching – manual and self
- ◆ Progress balance and proprioception
  - Bilateral → Unilateral → foam → dynadisc
  - Treadmill side stepping from level surface holding on progressing to inclines
  - Side stepping with theraband
- ◆ Hip hiking on stairmaster (week 12)

#### >12 weeks

- ◆ Progressive hip ROM and stretching
- ◆ Progressive LE and core strengthening

- ◆ Endurance activities around the hip
- ◆ Dynamic balance activities
- ◆ Treadmill running program
- ◆ Sport specific agility drills and plyometrics

Other:

Modalities

Electric Stimulation    Ultrasound    Heat before/after    Ice before/after

May participate in aquatherapy

Frequency: \_\_\_\_\_ x/ week x \_\_\_\_\_ weeks

Signature: \_\_\_\_\_

Please fax a copy of patient report to 312-942-1517 at least 3 days prior to patient appointment.